

## **Currants - Planting, Care, and Cultivation**

Mini-brochure - Landscape, print-friendly (ASCII-only)

- Choose type: red and white currants for tart, translucent clusters; black currants for rich flavor and high vitamin C.
- Site: full sun to light shade; cooler climates suit black currants; ensure airflow to reduce disease.
- Soil: fertile, well-drained loam; slightly acidic to neutral; add compost before planting.
- Space: allow airflow and easy harvest; plan training form before planting.
- Variety: pick disease-resistant cultivars adapted to your region.

#### Planting - spacing and steps

Spacing	1.2 to 1.5 m between bushes; rows 1.8 to 2.4 m. For cordon or fan training, follow support spacing.		
Depth	Plant 5 cm deeper than in the nursery pot to encourage multiple shoots (esp. black currants).		
Soil prep	Incorporate compost; avoid fresh manure. Good drainage is essential.		
Mulch	Mulch 5 to 8 cm to keep roots cool and moist; keep away from stems.		
Water	Deeply after planting; keep evenly moist in year 1.		

#### Watering and feeding

Water	About 2.5 to 4 cm per week during active growth and fruit fill. Mulch helps retain moisture.	
Feeding	In early spring, apply a balanced slow-release fertilizer at label rate, or top-dress with compost.	

Article: cveti-doma.ru/en/currants-planting-care-and-cultivation/ CD style. ASCII-only. A4 landscape; 16 mm margins; header 18 mm.



# **Currants - Planting, Care, and Cultivation**

## **Pruning and training**

Form	Open-centered bush for home gardens; cordon or fan against wires or fence for small spaces.		
Black currant	Fruits mostly on 1 to 2 year wood. Each winter remove about a third of the oldest stems at the base to renew.		
Red and white currant	Fruits on older spurs. Lightly shorten new growth; retain a framework of younger to mid-age branches.		
After planting	Cut back shoots to 2 to 4 buds to encourage strong basal growth (esp. for black currants).		

## Pests and diseases - quick view

Common issues	Aphids, currant sawfly, spider mites; powdery mildew, leaf spot, rust.	
Prevention	Choose airy, sunny sites; prune for airflow; mulch; water in mornings; keep area weed-free.	
Action	Hand-pick sawfly larvae; use insecticidal soap for small pests; remove diseased leaves; rotate locations if problems persist.	

#### Seasonal calendar

Spring	Plant or transplant; feed lightly; mulch; prune after planting to shape; monitor early pests.		
Summer	Water steadily; harvest when clusters are fully colored; net bushes if birds are a problem.		
Autumn	Remove weak, crossing wood; top up mulch; clear fallen leaves.		
Winter	Structural pruning while dormant; renew old stems for black currants.		

## **Propagation**

Hardwood cuttings	Take pencil-thick cuttings 20 to 25 cm in late autumn or winter. Insert two-thirds deep in a nursery bed; transplant next year.	
Layering	Bend a low flexible shoot to the ground, peg and cover a section with soil, tip exposed. Separate and transplant once rooted.	

## **Bush plan worksheet**

Variety	Form and spacing	Mulch plan	Pruning notes	Action date

CD - Flowers at Home - For personal use - Print on A4 landscape.